

Instalación de MySQL Server en 9 sencillos pasos

Escrito por
Luns, 19 Xullo 2004 10:15

There are no translations available.

CÓMO INSTALAR MYSQL EN 9 SENCILLOS PASOS

Descripción : Este manual muestra cómo se puede instalar en sistemas windows el gestor de bases de datos de MySQL siguiendo unos sencillos pasos.

Por: Jesús Pascual Faci

Jesús Cáceres Tello

Fecha : 14/07/2004

ELIMINAR ANTIGUA VERSIÓN DE MYSQL

1. Desinstala el servicio anterior de mysql (en nuestro caso la versión 3.23)

```
C:\mysql_old\in>mysqld-opt.exe /remove
```

Nota :

A. Para instalar un servicio manualmente desde la línea de


comandos:

Ejemplo :Instala el nuevo servicio correspondiente al 4.0.13

Instalación de MySQL Server en 9 sencillos pasos

Escrito por

Luns, 19 Xullo 2004 10:15



4. Ejecutar el fichero Setup.exe

Instalación de MySQL Server en 9 sencillos pasos

Escrito por
Luns, 19 Xullo 2004 10:15



Instalación de MySQL Server en 9 sencillos pasos

Escrito por

Luns, 19 Xullo 2004 10:15



Instalación de MySQL Server en 9 sencillos pasos

Escrito por
Luns, 19 Xullo 2004 10:15



Instalación de MySQL Server en 9 sencillos pasos


Escrito por

Luns, 19 Xullo 2004 10:15



Instalación de MySQL Server en 9 sencillos pasos

Escrito por
Luns, 19 Xullo 2004 10:15




Una vez que se ha instalado MySQL se crea un nuevo servicio para que se pueda crear un nuevo servidor MySQL.

Instalación de MySQL Server en 9 sencillos pasos

Escrito por

Luns, 19 Xullo 2004 10:15

Es decir,



nos

Instalación de MySQL Server en 9 sencillos pasos

Escrito por

Luns, 19 Xullo 2004 10:15

WinMySQLadmin 1.4
WinMySQLadmin Ver 1.4 for Win95/Win98/NT/Win2000
Copyright (C) 1979-2001 MySQL AB Monty Program KB_Detron HB.
All rights reserved. See the file PUBLIC for licence information.
This software comes with ABSOLUTELY NO WARRANTY: see the file PUBLIC for details

Environment | Start Check | Server | my.ini Setup | Err File | Variables | Process | Databases | Report

Environment
Local Host Name: JCACERES
Local User Name: jaceres
OS Platform: Windows 2000 Service Pack 4
Local IP Address: jaceres 195.53.123.233
Total Physical Memory: 391472 KB RAM

MyODBC
Not Found
Driver 3.51 Not Found

Server	Host Info	Open tables
4.0.13	localhost via TCP/IP	0
Client Info	Protocol Info	Open files
4.0.13	10	0
Uptime	Threads running	Open streams
5 min 15 sec	1	0
Slow queries	Opened tables	Questions
0	6	33

Powered by MySQL
Set Server's Query Interval
Hide me | Stop Extended Server Status

Al finalizar el proceso de instalación de MySQL Server en el servidor, para poder utilizarlo iremos a

Panel de control
Archivo | Edición | Ver | Favoritos | Herramientas | Ayuda

Herramientas administrativas
Hace configuraciones administrativas para su equipo
[Windows Update](#)
[Soporte técnico de Windows 2000](#)


- Actualización automática
- Agregar o quitar...
- Agregar o quitar p...
- BDE Administrator
- Conecciones de red y de acc...
- Configuración regional
- Correo
- Escáneres y cámaras
- Fecha y hora
- Fuentes
- Herramientas administrativas
- Impresoras
- Intel(R) PROSet
- Intel(R) Graphics...
- Java Plug-in 1.3.1
- Java Plug-in 1.4.0
- Mouse
- Opciones de accesibilidad
- Opciones de carpeta
- Opciones de energía
- Opciones de Internet
- Opciones de juego
- Opciones de teléfono ...
- Pantalla
- Servicios de texto
- Sistema
- Sonidos y periféricos
- Tareas
- Teclado
- Usuarios y grupos de usuarios

Hace configuraciones administrativas para su equipo

Instalación de MySQL Server en 9 sencillos pasos

Escrito por

Luns, 19 Xullo 2004 10:15



correctas etc. Ejecuta el programa que se llama "MySQLAdmin" para activar el "Servicio de

Instalación de MySQL Server en 9 sencillos pasos

Escrito por
Luns, 19 Xullo 2004 10:15

WinMySQLadmin Ver 1.4 for Win95/Win98/NT/Win2000
Copyright (C) 1979-2001 MySQL AB Monty Program KB_Detron HB.
All rights reserved. See the file PUBLIC for licence information.
This software comes with ABSOLUTELY NO WARRANTY: see the file PUBLIC for details

Environment | Start Check | Server | my.ini Setup | Err File | Variables | Process | Databases | Report

Environment
Local Host Name: JCACERES
Local User Name: jaceres
OS Platform: Windows 2000 Service Pack 4
Local IP Address: jaceres 195.53.123.233
Total Physical Memory: 391472 KB RAM

MyODBC
Not Found
Driver 3.51 Not Found

Server	Host Info	Open tables
4.0.13	localhost via TCP/IP	0
Client Info	Protocol Info	Open files
4.0.13	10	0
Uptime	Threads running	Open streams
5 min 15 sec	1	0
Slow queries	Opened tables	Questions
0	6	33

Powered by MySQL

Set Server's Query Interval
Hide me | Stop Extended Server Status

Etapa 9: Proceder a conexión de Acceso al servidor desde un cliente de mysql (por

Connection to MySQL-Host...

New | Save | Delete

Description: Local


Hostname / IP: localhost
User: root
Password:
Port: 3306 | Timeout: 30 seconds
 Use compressed client/server protocol
Database(s):
separated by semicolon (;)

Connect | Cancel

Instalación de MySQL Server en 9 sencillos pasos

Escrito por

Luns, 19 Xullo 2004 10:15



The screenshot shows the MySQL command-line interface. The top part displays system variables and their values. The bottom part shows a SQL prompt with several commands entered.

Variable	Value
back_log	50
basedir	C:\archivos de programa\mysql\
binlog_cache_size	32768
bulk_insert_buffer_size	8388608
character_set_client	latin1
character_set_connection	latin1
character_set_database	latin1
character_set_filesystem	latin1
character_set_server	latin1
character_set_session	latin1
character_set_statistics	latin1
character_set_system	latin1
character_set_timestamp	latin1
character_set_user	latin1
character_sets_dir	C:\archivos de programa\mysql\charsets\
collation_connection	latin1_swedish_ci
collation_database	latin1_swedish_ci
collation_server	latin1_swedish_ci
collation_session	latin1_swedish_ci
collation_statistics	latin1_swedish_ci
collation_system	latin1_swedish_ci
collation_user	latin1_swedish_ci
compress	NO
connect_timeout	60
connect_timeout_2	60
conv_convert	NO
conv_default	utf8mb4
conv_default_target_charset	utf8mb4
conv_default_target_collation	utf8mb4_bin
conv_default_target_cs_ces	utf8mb4_bin
conv_default_target_cs_coll	utf8mb4_bin
conv_default_target_cs_cs	utf8mb4_bin
conv_default_target_cs_cs2	utf8mb4_bin
conv_default_target_cs_cs3	utf8mb4_bin
conv_default_target_cs_cs4	utf8mb4_bin
conv_default_target_cs_cs5	utf8mb4_bin
conv_default_target_cs_cs6	utf8mb4_bin
conv_default_target_cs_cs7	utf8mb4_bin
conv_default_target_cs_cs8	utf8mb4_bin
conv_default_target_cs_cs9	utf8mb4_bin
conv_default_target_cs_cs10	utf8mb4_bin
conv_default_target_cs_cs11	utf8mb4_bin
conv_default_target_cs_cs12	utf8mb4_bin
conv_default_target_cs_cs13	utf8mb4_bin
conv_default_target_cs_cs14	utf8mb4_bin
conv_default_target_cs_cs15	utf8mb4_bin
conv_default_target_cs_cs16	utf8mb4_bin
conv_default_target_cs_cs17	utf8mb4_bin
conv_default_target_cs_cs18	utf8mb4_bin
conv_default_target_cs_cs19	utf8mb4_bin
conv_default_target_cs_cs20	utf8mb4_bin
conv_default_target_cs_cs21	utf8mb4_bin
conv_default_target_cs_cs22	utf8mb4_bin
conv_default_target_cs_cs23	utf8mb4_bin
conv_default_target_cs_cs24	utf8mb4_bin
conv_default_target_cs_cs25	utf8mb4_bin
conv_default_target_cs_cs26	utf8mb4_bin
conv_default_target_cs_cs27	utf8mb4_bin
conv_default_target_cs_cs28	utf8mb4_bin
conv_default_target_cs_cs29	utf8mb4_bin
conv_default_target_cs_cs30	utf8mb4_bin
conv_default_target_cs_cs31	utf8mb4_bin
conv_default_target_cs_cs32	utf8mb4_bin
conv_default_target_cs_cs33	utf8mb4_bin
conv_default_target_cs_cs34	utf8mb4_bin
conv_default_target_cs_cs35	utf8mb4_bin
conv_default_target_cs_cs36	utf8mb4_bin
conv_default_target_cs_cs37	utf8mb4_bin
conv_default_target_cs_cs38	utf8mb4_bin
conv_default_target_cs_cs39	utf8mb4_bin
conv_default_target_cs_cs40	utf8mb4_bin
conv_default_target_cs_cs41	utf8mb4_bin
conv_default_target_cs_cs42	utf8mb4_bin
conv_default_target_cs_cs43	utf8mb4_bin
conv_default_target_cs_cs44	utf8mb4_bin
conv_default_target_cs_cs45	utf8mb4_bin
conv_default_target_cs_cs46	utf8mb4_bin
conv_default_target_cs_cs47	utf8mb4_bin
conv_default_target_cs_cs48	utf8mb4_bin
conv_default_target_cs_cs49	utf8mb4_bin
conv_default_target_cs_cs50	utf8mb4_bin
conv_default_target_cs_cs51	utf8mb4_bin
conv_default_target_cs_cs52	utf8mb4_bin
conv_default_target_cs_cs53	utf8mb4_bin
conv_default_target_cs_cs54	utf8mb4_bin
conv_default_target_cs_cs55	utf8mb4_bin
conv_default_target_cs_cs56	utf8mb4_bin
conv_default_target_cs_cs57	utf8mb4_bin
conv_default_target_cs_cs58	utf8mb4_bin
conv_default_target_cs_cs59	utf8mb4_bin
conv_default_target_cs_cs60	utf8mb4_bin
conv_default_target_cs_cs61	utf8mb4_bin
conv_default_target_cs_cs62	utf8mb4_bin
conv_default_target_cs_cs63	utf8mb4_bin
conv_default_target_cs_cs64	utf8mb4_bin
conv_default_target_cs_cs65	utf8mb4_bin
conv_default_target_cs_cs66	utf8mb4_bin
conv_default_target_cs_cs67	utf8mb4_bin
conv_default_target_cs_cs68	utf8mb4_bin
conv_default_target_cs_cs69	utf8mb4_bin
conv_default_target_cs_cs70	utf8mb4_bin
conv_default_target_cs_cs71	utf8mb4_bin
conv_default_target_cs_cs72	utf8mb4_bin
conv_default_target_cs_cs73	utf8mb4_bin
conv_default_target_cs_cs74	utf8mb4_bin
conv_default_target_cs_cs75	utf8mb4_bin
conv_default_target_cs_cs76	utf8mb4_bin
conv_default_target_cs_cs77	utf8mb4_bin
conv_default_target_cs_cs78	utf8mb4_bin
conv_default_target_cs_cs79	utf8mb4_bin
conv_default_target_cs_cs80	utf8mb4_bin
conv_default_target_cs_cs81	utf8mb4_bin
conv_default_target_cs_cs82	utf8mb4_bin
conv_default_target_cs_cs83	utf8mb4_bin
conv_default_target_cs_cs84	utf8mb4_bin
conv_default_target_cs_cs85	utf8mb4_bin
conv_default_target_cs_cs86	utf8mb4_bin
conv_default_target_cs_cs87	utf8mb4_bin
conv_default_target_cs_cs88	utf8mb4_bin
conv_default_target_cs_cs89	utf8mb4_bin
conv_default_target_cs_cs90	utf8mb4_bin
conv_default_target_cs_cs91	utf8mb4_bin
conv_default_target_cs_cs92	utf8mb4_bin
conv_default_target_cs_cs93	utf8mb4_bin
conv_default_target_cs_cs94	utf8mb4_bin
conv_default_target_cs_cs95	utf8mb4_bin
conv_default_target_cs_cs96	utf8mb4_bin
conv_default_target_cs_cs97	utf8mb4_bin
conv_default_target_cs_cs98	utf8mb4_bin
conv_default_target_cs_cs99	utf8mb4_bin
conv_default_target_cs_cs100	utf8mb4_bin

```
mysql> SHOW VARIABLES;
```

```
mysql> SHOW STATUS;
```

Desde la base de datos este sencillo, pero interesante, manual gráfico os sirva en vuestra instalación